

Fly

design by Moreno De Giorgio





Fly

Design Moreno De Giorgio

Floor

Massima efficienza e fruibilità dello spazio, Fly è la soluzione ideale per ambiti di lavoro che richiedono leggerezza ed elegante funzionalità. Fly si basa su avanzati concept e materiali dell'illuminotecnica a Led. Il design fluido degli elementi, con profili minimi e levigati, nasconde un sofisticato dispositivo a iniezione luminosa perimetrale, applicato ad un particolare metacrilato di ultima generazione vetro acrilico che diffonde e devia il flusso luminoso perpendicolarmente alla superficie da illuminare. Fly presenta una silhouette aerodinamica progettata per il comfort e la performance.

Maximum efficiency and space usability, Fly is the ideal solution for work spaces requiring lightness and elegant functionality. Fly is based both on advanced concept and LED illuminating material. The flowing design of elements, with minimal and smoothed profiles, hides a sophisticated device of perimetral injection light, applied to a specific acrylic glass that spreads and deviates the light flow perpendicularly towards the surface to be illuminated. Fly introduces an aerodynamic silhouette designed for achieving both the comfort and performance.

Maximale Effizienz und Anwendbarkeit der Räumlichkeit: die Stehleuchte Fly ist ideal für alle Arbeitssituationen, die Leichtigkeit des Designs und elegante Funktionalität erfordern. Fly basiert auf einem fortschrittlichen LED-Beleuchtungskonzept und Materialien. Hinter dem geschmeidigen Design der Elemente mit minimalistischen Profilen verbirgt sich anspruchsvolle Technik mit seitlicher Lichteinstrahlung auf ein spezielles Acrylglas der neuesten Generation, das den Lichtstrom senkrecht zur Oberfläche lenkt. Fly präsentiert eine aerodynamische Silhouette, für besten Komfort und optimale Leistung konzipiert.



Descrizione tecnica

Apparecchio di illuminazione da terra
Corpo illuminante e asta: alluminio
Base: metallo
Diffusore: metacrilato HR + microprismatico ad alta efficienza
Schermo Superiore in metacrilato opale

Finitura

Struttura: verniciata bianco goffratino RAL 9016

Voltaggio e Comando

110-240V 50-60Hz sensore "Touch Dimmer" 0 -100%
con accensione separata (Diretta - Indiretta)
Spina: bipolare - tipo C
Lunghezza cavo: 3m

Sorgente

LED 3000K CRI90 (2700k e 4000K opzionali), UGR <19

Opzioni

3 versioni secondo il flusso luminoso emesso
Fly 8 - 8400lm (4400lm diretti e 4000lm indiretti) = 70W
Fly 12 - 11400lm (4400lm diretti e 7000lm indiretti) = 91W
Fly 16 - 16400lm (4400lm diretti e 12000lm indiretti) = 130W
Spina UK - Spina USA

Description

Floor lamp - Aluminium luminaire and stem
Metal base
Lower diffuser: HR methacrylate + high efficiency prismatic methacrylate
Upper diffuser: opal methacrylate

Finishing

Textured painted white RAL 9016

Voltage - Control

110-240V 50-60Hz "Touch Dimmer" sensor 0-100%
with separated control (upper and lower light)
Plug: Europlug - type C
Cable lenght: 3m

Light Source

LED 3000K CRI90 (2700k and 4000K on demand), UGR <19

Options

3 versions with several luminous flux
Fly 8 - 8400lm (4400lm direct and 4000lm indirect) = 70W
Fly 12 - 11400lm (4400lm direct and 7000lm indirect) = 91W
Fly 16 - 16400lm (4400lm direct and 12000lm indirect) = 130W
UK plug - USA plug

Codice / Code

N7TR13-TW
N7TR12-TW
N7TR11-TW

Descrizione / Description

Fly Terra 8 Bianca / Fly Floor 8 White
Fly Terra 12 Bianca / Fly Floor 12 White
Fly Terra 16 Bianca / Fly Floor 16 White



Touch Dimmer



